DOSTOP DO BREZŽIČNEGA OMREŽJA »GIMSEN-DIJAKI«

Opisan je postopek za nastavitev dostopa do brezžičnega omrežja »**gimsen-dijaki**«. Prikazani postopek temelji na Windows 7, vendar se v drugih verzijah ne razlikuje bistveno.

Control Panel \rightarrow *Network and Internet* \rightarrow *Manage Wireless Networks*, kjer dodate novo brezžično povezavo:

Ko je povezava dodana, morate nastaviti še podrobne nastavitve:

gimsen Wireless Network Properties			
Connection Sec	urity		
Name: SSID: Network type:	gimsen-dijaki gimsen-dijaki Access point		
Network availab	ility: All users comatically when this network is in range a more greferred network if available en if the network is not broadcasting its name (SSID)		

gimsen Wireless Network Properties				
Connection Security				
Security type:	WPA2-Enterprise			
Encryption type:	AES			
Choose a network aut	thentication method:			
Microsoft: Protected	EAP (PEAP)			
Remember my credentials for this connection each time I'm logged on				
A <u>d</u> vanced settings				
OK Cancel				

Lastnosti brezžičnega omrežja »gimsen-dijaki« → Security

Lastnosti brezžičnega omrežja »gimsen-dijaki« \rightarrow Security \rightarrow Settings

Protected EAP Properties	
When connecting:	
Validate server certificate	
Connect to these servers:	
Trusted Root Certification Authorities:	
America Online Root Certification Authority 1	
Arnes CA za streznike Eduroam	
BIO Certification Authority	
Biotechnical Faculty WLAN	
Certum CA +	
↓ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □	
Do not prompt user to authorize new servers or trusted certification authorities.	
Select Authentication Method:	
Secured password (EAP-MSCHAP v2)	
Enable Fast Reconnect	
Enforce Network Access Protection	
Disconnect if server does not present cryptobinding TLV	
Enable Identity Privacy	
OK Cancel	

Lastnosti brezžičnega omrežja »gimsen-dijaki« \rightarrow Security \rightarrow Settings \rightarrow Configure ...



Lastnosti brezžičnega omrežja »gimsen-dijaki« \rightarrow Security \rightarrow Advanced Settings

Advanced settings				
802.1X settings 802.11 settings				
Specify authentication mode:				
User authentication Save gredentials				
Delete credentials for all users				
Enable sign on for this network				
Perform immediately before user logon				
Perform immediately after user logon				
Maximum delay (seconds):				
Allow additional dialogs to be displayed during single sign on				
This network uses separate virtual LANs for machine and user authentication				
OK Cancel				

Prijavo v omrežje »**gimsen-dijaki**« opravite s klikom na najdeno omrežje in vnosom vašega uporabniškega imena in gesla, ki veljata za prijavo v šolsko računalniško mrežo (prijava v šolske računalnike).

4

Windows Security			
Network Authentication Please enter user credentials			
	User name Password		
		OK Cancel	